# Central Africa Workshop for implementing the Strategic Plan for Biodiversity through the National Biodiversity Strategies and Action Plans

The Strategic Plan for Biodiversity 2011-20, the Aichi Biodiversity Targets and National Implementation

CBD Secretariat 19 – 23 June 2011.






### Part 1:

## Introduction to the Strategic Plan

### **Strategic Goals**



- A. Address the **underlying causes** of biodiversity loss (mainstreaming)
- B. Reduce the **direct pressures** and promote sustainable use
- **C. Directly safeguard** ecosystems, species and genetic diversity
- D. Enhance the **benefits** to all from biodiversity and ecosystem services
- E. Enhance implementation through participatory planning, knowledge management and capacity building

### **Aichi Nagoya Targets**

#### Strategic goal A. Address the underlying causes of biodiversity loss

- Target 1: By 2020, People are aware of the values of biodiversity and the steps they can take to conserve and use it sustainably.
- Target 2: By 2020, biodiversity values are integrated into national and local development and poverty reduction strategies and planning processes and national accounts ...
- Target 3: By 2020, incentives, including subsidies, harmful to biodiversity are eliminated, phased out or reformed ......
- Target 4: By 2020, Governments, business and stakeholders have plans for sustainable production and consumption and keep the impacts resource use within safe ecological limits.

### Strategic goal B. Reduce the direct pressures on biodiversity and promote sustainable use

- Target 5: By 2020, the rate of loss of all natural habitats, including forests, is at least halved and where feasible brought close to zero, and degradation and fragmentation is significantly reduced.
- Target 6: By 2020 all stocks managed and harvested sustainably, so that overfishing is avoided ......
- Target 7: By 2020 areas under agriculture, aquaculture and forestry are managed sustainably, ensuring conservation of biodiversity.
- Target 8: By 2020, pollution, including from excess nutrients, has been brought to levels that are not detrimental to ecosystem function and biodiversity.
- Target 9: By 2020, invasive alien species and pathways are identified and prioritized, priority species are controlled or eradicated, and measures are in place to manage pathways to prevent their introduction and establishment.
- Target 10: By 2015, the multiple anthropogenic pressures on coral reefs, and other vulnerable ecosystems impacted by climate change or ocean acidification are minimized, so as to maintain their integrity and functioning.

### Strategic goal C: To improve the status of biodiversity by safeguarding ecosystems, species and genetic diversity

- Target 11: By 2020, at least 17 per cent of terrestrial and inland water, and 10 per cent of coastal and marine areas are conserved through systems of protected areas.....
- Target 12: By 2020 the extinction of known threatened species has been prevented and their conservation status, particularly of those most in decline, has been improved and sustained.
- Target 13: By 2020, the genetic diversity of cultivated plants and farmed and domesticated animals and of wild relatives is maintained,

### Strategic goal D: Enhance the benefits to all from biodiversity and ecosystem services

- Target 14: By 2020, ecosystems that provide essential services, including services are restored and safeguarded,
- Target 15: By 2020, ecosystem resilience and the contribution of biodiversity to carbon stocks has been enhanced, through conservation and restoration, including restoration of at least 15 per cent of degraded ecosystems,
- Target 16: By 2015, the Nagoya Protocol on Access and Benefits Sharing is in force and operational

### Strategic goal E. Enhance implementation through participatory planning, knowledge management and capacity building


- Target 17: By 2015 each Party has developed, adopted as a policy instrument, and has commenced implementing an effective, participatory and updated NBSAP.
- Target 18: By 2020, the traditional knowledge, innovations and practices of indigenous and local communities and their customary use, are respected.
- Target 19: By 2020, knowledge, the science base and technologies relating to biodiversity, its values, functioning, status and trends, and the consequences of its loss, are improved, widely shared and transferred, and applied.
- Target 20: By 2020, the mobilization of financial resources for effectively implementing the Strategic Plan for Biodiversity 2011-2020 from all sources,, should increase substantially.

#### **VISION**

By 2050, biodiversity is valued, conserved, restored and wisely used, maintaining ecosystem services, sustaining a healthy planet and delivering benefits essential for all people.

#### **MISSION**

Take effective and urgent action to halt the loss of biodiversity in order to ensure that by 2020 ecosystems are resilient and continue to provide essential services, thereby securing the planet's variety of life, and contributing to human well-being, and poverty eradication. ....



**SUPPORT MECHANISMS** 

### Strategic goal A. Address the underlying causes of biodiversity loss

- Target 1: By 2020, ... People are aware of the values of biodiversity and the steps they can take to conserve and use it sustainably.
- Target 2: By 2020, ... biodiversity values are integrated into national and local development and poverty reduction strategies and planning processes and national accounts ...
- Target 3: By 2020, ... incentives, including subsidies, harmful to biodiversity are eliminated, phased out or reformed in order to minimize or avoid negative impacts, and positive incentives for the conservation and sustainable use of biodiversity are developed and applied, .
- Target 4: By 2020, ... Governments, business and stakeholders have plans for sustainable production and consumption and keep the impacts resource use within safe ecological limits.

### Strategic goal B. Reduce the direct pressures on biodiversity and promote sustainable use

- Target 5: By 2020, the rate of loss of all natural habitats, including forests, is at least halved and where feasible brought close to zero, and degradation and fragmentation is significantly reduced.
- Target 6: By 2020 all fish and invertebrate stocks and aquatic plants are managed and harvested sustainably, legally and applying ecosystem based approaches, so that overfishing is avoided, recovery plans and measures are in place for all depleted species, fisheries have no significant adverse impacts on threatened species and vulnerable ecosystems and the impacts of fisheries on stocks, species and ecosystems are within safe ecological limits
- Target 7: By 2020 areas under agriculture, aquaculture and forestry are managed sustainably, ensuring conservation of biodiversity.
- Target 8: By 2020, pollution, including from excess nutrients, has been brought to levels that are not detrimental to ecosystem function and biodiversity.
- Target 9: By 2020, invasive alien species and pathways are identified and prioritized, priority species are controlled or eradicated, and measures are in place to manage pathways to prevent their introduction and establishment.
- Target 10: By 2015, the multiple anthropogenic pressures on coral reefs, and other vulnerable ecosystems impacted by climate change or ocean acidification are minimized, so as to maintain their integrity and functioning.

### Strategic goal B. Reduce the direct pressures on biodiversity and promote sustainable use

- Target 5: By 2020, the rate of loss of all natural habitats, including forests, is at least halved and where feasible brought close to zero, and degradation and fragmentation is significantly reduced.
- Target 6: By 2020 all fish and invertebrate stocks and aquatic plants are managed and harvested sustainably, legally and applying ecosystem based approaches, so that overfishing is avoided, recovery plans and measures are in place for all depleted species, fisheries have no significant adverse impacts on threatened species and vulnerable ecosystems and the impacts of fisheries on stocks, species and ecosystems are within safe ecological limits
- Target 7: By 2020 areas under agriculture, aquaculture and forestry are managed sustainably, ensuring conservation of biodiversity.
- Target 8: By 2020, pollution, including from excess nutrients, has been brought to levels that are not detrimental to ecosystem function and biodiversity.
- Target 9: By 2020, invasive alien species and pathways are identified and prioritized, priority species are controlled or eradicated, and measures are in place to manage pathways to prevent their introduction and establishment.
- Target 10: By 2015, the multiple anthropogenic pressures on coral reefs, and other vulnerable ecosystems impacted by climate change or ocean acidification are minimized, so as to maintain their integrity and functioning.

### Strategic goal C: To improve the status of biodiversity by safeguarding ecosystems, species and genetic diversity

- Target 11: By 2020, at least 17 per cent of terrestrial and inland water areas, and 10 per cent of coastal and marine areas, especially areas of particular importance for biodiversity and ecosystem services, are conserved through effectively and equitably managed, ecologically representative and well connected systems of protected areas and other effective area-based conservation measures, and integrated into the wider landscapes and seascapes
- Target 12: By 2020 the extinction of known threatened species has been prevented and their conservation status, particularly of those most in decline, has been improved and sustained.
- Target 13: By 2020, the genetic diversity of cultivated plants and farmed and domesticated animals and of wild relatives is maintained,

### Strategic goal D: Enhance the benefits to all from biodiversity and ecosystem services

- Target 14: By 2020, ecosystems that provide essential services, including services are restored and safeguarded,
- Target 15: By 2020, ecosystem resilience and the contribution of biodiversity to carbon stocks has been enhanced, through conservation and restoration, including restoration of at least 15 per cent of degraded ecosystems,
- Target 16: By 2015, the Nagoya Protocol on Access and Benefits Sharing is in force and operational

### Strategic goal E. Enhance implementation through participatory planr knowledge management and capacity building

- Target 17: By 2015 each Party has developed, adopted as a policy instrument, and has commenced implementing an effective, participatory and updated NBSAP.
- Target 18: By 2020, the traditional knowledge, innovations and practices of indigenous and local communities and their customary use, are respected.
- Target 19: By 2020, knowledge, the science base and technologies relating to biodiversity, its values, functioning, status and trends, and the consequences of its loss, are improved, widely shared and transferred, and applied.
- Target 20: By 2020, the mobilization of financial resources for effectively implementing the Strategic Plan for Biodiversity 2011-2020 from all sources,, should increase substantially.

### Part 2:

Setting targets in the framework of the Aichi Biodiversity Targets

### COP-10 Decision X/2

### COP10 has urged Parties to:

- Develop national and regional targets,
  - using the Strategic Plan and its Aichi Targets, as a flexible framework, in accordance with national priorities and capacities .... with a view to contributing to collective global efforts to reach the global targets, and report to COP 11 (2012).
- Integrate the targets into revised and updated NBSAPs, adopted as a policy instrument
- In time for the COP 11 (2012).

### Why Targets?

### The purpose of targets

- to move: from words to action
- from action to measurable results.

### Targets help us do this by:

- Inspiring programs for change,
- Providing a focus for concerted action,
- Measuring and reporting on progress in conservation and sustainable use at national and global levels
- Establishing accountability in the conservation and sustainable use of biodiversity, and
- Communicating status and trends of biodiversity to policy makers and the public.

### Application of CBD framework in Brazil

CBD 2010 Target

Brazilian 2010 Target

CBD 2020 Aichi Target

At least 10% of each of the world's ecological regions effectively conserved (sub-target 1.1) At least 30% of the Amazon Biome and 10% in the other biomes and in the marine and coastal zone effectively conserved through Conservation Units ...

At least 17% of terrestrial and inland water areas, and 10 %f coastal and marine areas, especially areas of .. importance for biodiversity & ecosystem services, are conserved

Rate of loss and degradation of natural habitats decreased. (Target 5.1)

Reduce the rate of deforestation by 100% in the Atlantic Forest Biome, 75% in the Amazon Biome and 50% in the other biomes

The rate of loss of all natural habitats, including forests, is at least halved and where feasible brought close to zero, and degradation and fragmentation is significantly reduced

### Australia's targets for 2015

- 1. Achieve a 25% increase in the number of Australians and public and private organizations that participate in biodiversity conservation activities.
- 2. Achieve a 25% increase in employment and participation of Indigenous peoples in biodiversity conservation.
- 3. Achieve a doubling of the value of complementary markets for ecosystem services.
- 4. Achieve a national increase of 600,000 km2 of native habitat managed primarily for biodiversity conservation across terrestrial, aquatic and marine environments.
- 5. 1,000 km2 of fragmented landscapes and aquatic systems are being restored to improve ecological connectivity.
- 6. By 2015, four collaborative continental-scale linkages are established and managed to improve ecological connectivity
- 7. Reduce by at least 10% the impacts of invasive species on threatened species and ecological communities in terrestrial, aquatic and marine environments.

#### Setting national targets

Adapt the global framework of goals and targets to the national level

does not necessarily mean national targets for every one of the 20 global targets -- not, all of the global targets will be relevant

targets must be appropriate for each country and its unique circumstances (which can include specific types of biodiversity, in varying states of health and under differing pressures, management regimes, and socio-economic and financial situations).

If national targets already exist, a first step could be to examine these in relation to the 20 global targets.

#### **Target Setting**

A <u>set</u> of national goals and targets should have the following characteristics:

- Cover the main biodiversity issues in the country
- Address the three objectives of the Convention (conservation, sustainable use, and benefit sharing) and the five Goals
- Be specific and measurable (more specific than global targets)
- Be realistic: (credibility for biodiversity planning)
- Be ambitious beyond BAU; not limited to existing resources
- Be intricately tied to the NBSAP
- Relate to the Aichi Biodiversity Targets.
- Be developed using a participatory, multi-stakeholder process
- Be limited in number. at 5-10 targets
- Time bound

#### **Characteristics of national targets: summary**

National targets should, in addition to covering main biodiversity issues, addressing the 3 objectives of the CBD, relating to the Aichi Targets, be:

- S Specific e.g. Target 14: By 2020, ecosystems that provide essential services, including services related to water, and contribute to health ... are restored and safeguarded
- M measurable e.g. Target 11: By 2020, at least 17 per cent of terrestrial and inland water, and 10 per cent of coastal and marine areas are conserved through systems of protected areas
- A attainable e.g. Target 15: By 2020, ecosystem resilience and the contribution of biodiversity to carbon stocks <u>has been enhanced</u>, through conservation and restoration, including <u>restoration of at least 15 per cent</u> of degraded ecosystems
- R results oriented
- T time bound e.g. Target 16: <u>By 2015</u>, the Nagoya Protocol on Access and Benefits Sharing is in force and operational

### Strategic goal B. Reduce the direct pressures on biodiversity and promote sustainable use

- By 2010, reduce the rate of deforestation by 100% in the Atlantic Forest Biome, 75% in the Amazon Biome and 50% in the other biomes (Brazil)
- Target 6: By 2020 all fish and invertebrate stocks and aquatic plants are managed and harvested sustainably, legally and applying ecosystem based approaches, so that overfishing is avoided, recovery plans and measures are in place for all depleted species, fisheries have no significant adverse impacts on threatened species and vulnerable ecosystems and the impacts of fisheries on stocks, species and ecosystems are within safe ecological limits
- By 2015, modernize agriculture to an ecologically acceptable level (Benin)
- Target 8: By 2020, pollution, including from excess nutrients, has been brought to levels that are not detrimental to ecosystem function and biodiversity.
- By 2020, reduce by at least 10% the impacts of invasive species on threatened species and ecological communities in terrestrial, aquatic and marine environments (Australia).
- Target 10: By 2015, the multiple anthropogenic pressures on coral reefs, and other vulnerable ecosystems impacted by climate change or ocean acidification are minimized, so as to maintain their integrity and functioning.



www.cbd.int/sp/sp2010p www.cbd.int/nbsap